



CF

LEADING IN VERSATILITY

ULTIMATE ALL-ROUNDER

DAF introduces the new CF Euro 6: the ultimate all-rounder. Available as rigid and tractor, with two, three or four axles. With single or double drive. With a range of spacious and comfortable cabs. And with a wide range of powerful, efficient and clean engines. For distribution and bulk or tanker transport, or for heavy work in the construction industry. For every transport requirement the CF programme offers an efficient, bespoke solution.



STYLISH The sturdy and elegant appearance of the new CF Euro 6 is in common with the XF and LF. The distinctive grille and the beautiful chrome panel with DAF logo are real eye catchers. Above is all the space to promote your company name. The attractive front design continues through to the new mudguards, side skirts and cab collars. For optimal aerodynamics and the highest fuel efficiency.

ROBUST The new CF can take a bump or two. It has a strong bumper of galvanised steel. Which protrudes slightly to protect the new headlights. The covers of which are made from unbreakable Lexan. The headlights are equipped as standard with day time running lights for excellent visibility during the day.

CLEVER The new CF is available with three cab variants: a practical day cab, a spacious sleeper cab and an ultra-spacious Space Cab. Attractive and stylish on the outside, comfortable on the inside. Design and functionality go hand in hand. Take for instance the aerodynamic corner deflectors. They enhance the appearance and control the air flow so that the door handles remain clean!

ELEGANT AND ROBUST



CF

DAF

CF

CF




ACCESSIBLE Easy cab entry and exit is important for a truck in this class. The practical, low cab floor is only 1.18 m high on versions with the PACCAR MX 11 engine and 1.25 m high in the versions with PACCAR MX-13 engine. As a result, two or three steps are adequate. The aluminum steps are non-slip.



VISIBLE Safety starts with good visibility. The CF cab has the largest glass surface in its class. Similarly, the low cab position contributes to a perfect overview, as do the carefully positioned mirrors.



INNOVATIVE The new CF has the same beautifully styled headlamps as the new XF. Equipped as standard with H7 halogen lighting. LED technology for low beam is optional, a first in the truck industry. With the greatest light output, maximum life and minimal energy consumption. Also new on the CF: practical cornering lights in the bumper. They shine in the driving direction for more comfort and safety and even less chance of damage.





XTRA COMFORT

SPACIOUS The interior of the new CF offers maximum living and working space. That applies to the day cab, sleeper cab and the ultra-spacious Space Cab. Which has an interior space of no less than 11 m³. The standing height of 2.23 m is unmatched in its class, as is the total storage space of approximately 900 litres. Including three large compartments above the windscreen with space for a microwave oven. The 660 litres of storage space under the bed can accommodate an optional 30-litre refrigerator. All cabs are thus equipped with many convenient compartments and storage spaces. The centre console has a generous storage compartment with two practical bottle or cup holders.

PRACTICAL The cab of the new CF exudes pure quality. Durable materials and a high-quality finish keeps the interior looking neat and clean even after years of intensive use. This benefits not only the residual value, but also improves driver comfort. That's why warm colours are used in the cabin. So every driver will feel at home on the road.

COMFORTABLE All drivers - large and small - find the seating position in the new CF ideal, thanks to the adjustable steering wheel. The driver's seat is adjustable up to 220 mm in length and 145 mm in height. The integrated seat belts are adjustable in height and new is the divided back rest at shoulder height. Heated and ventilated seats are optionally available for supreme comfort. Talking about comfort: the bed (with a mattress length of 202 cm and thickness of 12 cm) guarantees an excellent sleep. Especially when the Xtra comfort mattress with pocket springs is chosen. Cross cab air flow of the new night heater makes the comfort level complete.





ERGONOMIC The new dashboard is fully designed around the driver. With all the levers and instruments exactly where you would expect them. Controls are grouped conveniently by function. The three DIN slots accommodate the optional camera monitor or Truck Navigation Radio with radio player, truck navigation system and USB connector. Also available is a fully integrated DAF Truck Phone with which two mobile phones via Bluetooth and a fixed, integrated telephone can be connected simultaneously. All three are operated from the steering wheel with display of phone numbers, names, and text messages on the dashboard.



ECONOMIC The CF has the same instrument panel as the new XF and LF, including the beautiful finish and a modern colour display. This gives information on vehicle and engine functions in no less than 32 languages. The DAF Driver Performance Assistant (DPA) is standard and helps the driver to drive as economically as possible. Via the colour display the driver is informed about fuel consumption, braking, the degree to which traffic situations are anticipated and the optimum time to change gear. Handy tips for saving fuel, optimal use of the engine brake and the importance of, among others, the correct spoiler adjustment and tyre pressures. The DPA motivates the driver to get the best out of the CF with minimum effort.






MAXIMUM EFFICIENCY



PACCAR

PACCAR



DAF developed three new engines for the CF. The 12.9 litre PACCAR MX-13, the 10.8 litre PACCAR MX-11 and the 6.7 litre PACCAR PX-7. Available with various ratings. Thanks to ultramodern and thoroughly proven technologies such as common rail injection, a variable geometry turbocharger, exhaust gas recirculation and ingenious exhaust-gas aftertreatment, they meet the stringent Euro 6 emission requirements. All three guarantee maximum efficiency, high performance and low operating costs.

RELIABLE Maximum availability, reliability and low maintenance contribute to maximising your return. With service intervals up to 60,000 kilometres for the PX-7, 125,000 for the MX-11 and even 150,000 for the MX-13. Clever design, such as the combined unit for fuel filter and water separator, and the single multi belt, keep servicing costs low. And for maximum reliability, the cable harnesses are encapsulated with foam. Unique in the industry.

EFFICIENT The PACCAR Euro 6 engines for the new CF are clean and efficient. Weight is saved, for example, by using a single multi-belt, a plastic sump and by combining oil filter, thermostat and cooler in one module. Engine and exhaust-gas aftertreatment work optimally together with intelligent sensors and software. The result: outstanding performance with an excellent fuel economy.

CLEAN DAF's premise: let the diesel particulate filter passively regenerate as much as possible. For the best possible fuel economy. For example, the exhaust manifold of the PACCAR MX-11 and MX-13 engines is encapsulated to retain as much precious heat as possible. Also, the SCR catalyst is optimised by temperature. A smart coating ensures maximum operation over a wider range of temperatures. Allowing the engine to function at its most optimal and efficient level. The particulate filter has cleaning intervals of up to 500,000 kilometres, depending on engine type and application.

MX-13 Designed for a service life of up to 1.6 million kilometres. The PACCAR MX-13 provides power of 303 kW/412 hp, 340 kW/462 hp and 375 kW/510 hp and impressive torques of 2,000, 2,300 and 2,500 Nm respectively. The high torque is available at low engine speeds and over a wide rev range. This means less gear changing and therefore pure driving comfort. The engine brake delivers impressive performance. More than three-quarters of its power is delivered at only 1,500 rpm. This also results in less wear on the service brakes.

MX-11 Ideally suited for distribution and for heavier applications where low kerb weight and the lowest fuel consumption are of ultimate importance. The PACCAR MX-11 with double overhead camshafts is available in five versions. With specifications ideal for distribution (210 kW/286 hp, 240 kW/326 hp and 271 kW/369 hp) and for heavier applications (291 kW/396 hp and 320 kW/435 hp). And high maximum torques of 1,200, 1,400, 1,600, 1,900 and 2,100 Nm, available over a wide rev range and from low engine speeds. The quality of the engine brake is also impressive in the MX-11. The MX-11 engine is a further 3 % more efficient than the already highly efficient MX-13 and is also 180 kilograms lighter. This means more opportunities to maximise your returns.

PX-7 The new PACCAR PX-7 completes the engine range for the new CF. This powerful, quiet and fuel efficient engine offers power outputs of 164 kW/223 hp, 186 kW/253 hp, 208 kW/283 hp and 231 kW/314 hp. With a corresponding torque of 850, 950, 1,020 and 1,100 Nm. This gives exceptionally good handling characteristics with good fuel economy. With its low emissions and low noise, the PX-7 is attractive for intensive distribution operations. Pleasant for the driver, good for the environment.

PERFECT MATCH

The new CF has new or more sophisticated transmissions for a perfect match with the PACCAR Euro 6 engines. Manual, automated or fully automatic - there is always a gearbox that best suits your specific purpose.

The PACCAR PX-7 engines are coupled to a manual standard 6 or 9 speed gearbox. The MX-11 engines up to 271 kW/369 hp are supplied with an 8 or 9 speed manual gearbox with overdrive. The most powerful versions with 291 kW/396 hp and 320 kW/435 hp have – as with the 12.9 litre PACCAR MX-13 - a manual 12 or 16 speed gearbox with standard Servoshift for optimum gear-changing comfort.

The PACCAR engines can also be combined with the automated AS Tronic gearbox. For PACCAR PX- 7 engines with 6 gears and MX-11 and MX-13 engines with 12 or 16 gears with specifications for distribution, off-road and tanker transport (MX-11 and MX-13). Thanks to Ecoroll, the truck 'rolls' down slight gradients with the engine at idle under full control. Also Fast Shift - in which rapid changes are made between the highest gears - contributes to good fuel economy. New software and sensors guarantee excellent behavior when starting and manoeuvring.

Fully automatic transmissions are available for special applications. Ideal for example with fire engines or refuse trucks.





BRAKING The brake of the new PACCAR engines delivers impressive performance regardless of the vehicle speed. Furthermore, the new Intarder 3 is available; the integrated transmission brake. At higher speeds, it offers the driver even more braking power.

ROBUST The final piece of the powertrain is the new SR1344 rear axle with a technical loading capacity of 13 tonnes. It is even lighter while maintaining its robustness and durability and comes as standard on combinations with weights up to 44 tonnes and engine torques up to 2300 Nm. For more demanding applications, the new SR1347 axle is available. In both cases, they are combined with the Stabilink air-suspended axle. This is lighter and is characterised by a high rigidity for optimal handling.

Essential for a truck that is used for many different applications: a complete range of engine and gearbox PTO's. Which guarantee a powerful and efficient drive for auxiliary power. This also makes the new CF, for example, the ideal concrete-mixer truck, fire truck, refrigerated truck or truck for the transport of demountable bodies.





POWERFUL DAF supplies the PACCAR MX engines with the well-known engine PTO positioned at 1 o'clock with flange or pump drive with a torque of over 800 Nm. Ideal for driving a mixer or compactor. In addition, there is an indirect engine PTO with pump connection with take-off capacity of 35 kW. New on the MX-11 engine is a PTO pump drive positioned at 11 o'clock, mounted directly on the engine and with a torque of 250 Nm. Ideal for light auxiliary drives. In addition there is, of course, a very extensive range of gearbox PTO's. For each application also a bespoke PTO.

COOL New for the MX-11 and MX-13 engines is the provision for a generator which is mounted directly on the engine, especially for a refrigerated body. A fixed engine mount provides a reliable drive for these water – or air-cooled – 'Frigoblock' generators. This installation extends the life of the V-belts considerably. It means maximum reliability, plus cost and maintenance savings. In addition, the generator for the drive of the cooling unit is easy to mount for maximum efficiency.

STRONG IN VERSATILITY

The new chassis offers practically unlimited opportunities for chassis layout. Due to the low weight, high payloads are possible. The high stiffness ensures excellent handling. It is also completely flat and components are mounted wherever possible on the inside. A perfect base for any conceivable construction or installation.





STRONG The driver experiences stable handling due to the high rigidity of the chassis and the Stabilink rear air suspension. The all-new front suspension provides the perfect balance between damping, lateral stability, comfort and rigidity. An 8-tonne front axle with two-leaf parabolic springs is standard. For heavier application there is the 9-tonne front axle with 3-leaf parabolic springs, for maximum comfort. New is a 7.5-tonne front axle with a single leaf spring, ideally suited for applications where every kilo counts!

FRIENDLY The chassis can be configured in the most diverse ways. The installation for the after-treatment of exhaust gases can be to the left or right of the chassis or even separated. There are many possibilities. Large or small fuel tanks, discharge pipe on the left, right or even vertical. Everything has been thought of. Thanks to the Body Attachment Method the chassis is already fully prepared with support and hole patterns on a special construction. The bodybuilder can start work immediately.

SMART By installing the AdBlue tank under the cab and the batteries at the back of the chassis, fuel capacities up to 1500 liters are possible on tractors. And of course there is also plenty of space for mounting outriggers or pumping equipment.

The new CF is a leader in versatility and offers a solution for every transportation need. For regional and international distribution, refrigeration, bulk or tanker transport. But also for construction, municipal services and special transport applications. The new CF will help you maximise your productivity.

DISTRIBUTION The wide choice of engines, transmissions and axles combined with the excellent handling, makes the CF the ultimate distribution truck. Both regional and long distance. As a rigid and as a tractor. With two, three or four axles when additional capacity is required. The cab offers the ideal working environment and ample comfort. With optimum visibility, excellent accessibility, high security and above all maximum ease. The ideal truck for the driver and owner. The CF is a synonym for maximum reliability, durability and low operating costs.

BULK & TANKER Each kilogram of weight reduction is beneficial for the net payload. DAF has succeeded in improving virtually every part of the CF. Without compromising robustness and reliability concessions. For applications in which every kilo counts, DAF has gone one step further. With a new 7.5 tonne front axle with single leaf springs. With the new PACCAR MX-11 engine, which is also another 180 kilograms lighter than the efficient MX-13 engine. With an improved air suspension by using the Stabilink suspension, a combination of two torque rods and an anti-roll bar. For maximum productivity.





CONSTRUCTION Especially for applications that require frequent 'off road' driving, there is the robust CF Construction. The bumper is mounted high, providing a large approach angle of 25 degrees. In combination with a ground clearance of 40 cm - thanks to the use of 'straight' beam front axles - this leads to excellent characteristics on unpaved roads. Also thanks to DAF 's famous double-drive, eight-rod tandem rear suspension. Which is characterised by excellent stability and large articulation up to 270 mm.

BESPOKE Whether your focus is on distribution, bulk or tanker transport, construction, the agricultural sector or within the waste collecting - DAF offers a bespoke CF for every application. As a rigid and as a tractor. With two, three or four axles. With a steered trailing axle for maximum manoeuvrability, with steered leading axle for maximum yard-friendliness. With low chassis height for volume transport. With air suspension on front and rear for the transport of demontable bodies. With a wide choice of efficient and reliable PACCAR engines. With day cab, sleeper cab or Space Cab. With a choice of PTO's. Whichever CF you choose, DAF provides you with a bespoke truck!

DRIVER SAFETY

Safety for the driver is paramount. The most important passive safety feature of the CF is its superior stability. This is achieved due, among others, to the rugged, lightweight chassis. Also, the new CF crash tests have been passed with flying colors. The new energy - absorbing cab suspension plays an important role, as well as the reinforced cab structure with pre-programmed crumple zones front and rear. The ingenious suspension slides the cab back in a controlled way in the event of a front impact.



SAFETY SYSTEMS

The new CF is equipped as standard with various safety and driver assistance systems. Besides EBS (Electronic Brake System) the CF also features Brake Assist and Anti-Slip Control (ASR). Lane Departure Warning System (LDWS), Adaptive Cruise Control with Forward Collision Warning (ACC / FCW) and Advanced Emergency Braking System (AEBS) are optionally available. AEBS brakes a vehicle in an emergency independently. The Vehicle Stability Control (VSC) prevents skidding, jackknifing and tilt or any combination of these. A camera / monitor system is also available as an option. For an even better view of the front and the passenger side of the truck.





Efficient transport involves more than just the perfect truck. This is why DAF offers a total transport solution. DAF is supported by a professional organisation and an international dealer network. They will help you choose the right vehicle, arrange the financing and keep your fleet in perfect condition.

DAF MULTISUPPORT

A repair and maintenance contract offers you maximum assurance at a fixed price per kilometre. You determine the service level you need, which can be expanded to include trailers and/or superstructures. You can always be assured of a perfectly maintained fleet and maximum vehicle availability. And just as importantly, you can concentrate on your core activities. After all, your DAF dealer will take the planning and administration of the maintenance off your hands!

PACCAR FINANCIAL

For more than 50 years, PACCAR Financial, DAF's in-house financier, has offered customised financial services that completely focus on the transport sector. PACCAR Financial understands your day-to-day activities better than anyone, making them a real partner in business. Naturally for the financing of your trucks, but also for complete combinations, including superstructures and trailers. With various financing possibilities, including repair, maintenance and insurance options. PACCAR Financial always offers a ready-made solution, tailored to your individual situation.

PACCAR PARTS


Besides original DAF parts and PACCAR engine parts, PACCAR Parts supplies over 60,000 universal TRP Truck & Trailer parts for all makes of trucks and trailers, including workshop supplies. From distribution centres in the Netherlands, the UK, Russia, Hungary and Spain, PACCAR Parts delivers orders within 24 hours to dealers and customers throughout Europe. The centres achieve a delivery reliability of 99.98%, which is unique in the truck industry. Max Card holders also benefit from special deals and discounts.

DAF ITS DAF's International Truck Service (ITS). Because even a DAF truck can get stranded on the road after a breakdown or an accident. If that happens, it's good to know that drivers can fully rely on DAF's ITS. One telephone call to DAF ITS (+31 40 214 3000) is enough to set this system in motion, wherever you are in Europe. 365 days a year, day and night, assistance is given in 15 languages with the help of local mechanics. ITS will do everything needed to get your truck quickly back on the road.

DAF DRIVER ACADEMY
The driver is the most important link in the chain for achieving the highest level of efficiency. DAF training courses help the driver save on fuel and anticipate traffic situations better. This also improves safety. Moreover, a well-trained driver drives his vehicle more economically. DAF driver training courses teach drivers to drive between 5 and 10% more economically and with less damage in the short term. Permanent savings are between 3 and 5%!

DAF DEALER NETWORK
The professional and responsive DAF dealer provides expert advice for your DAF truck during the complete lifecycle. The highly trained DAF mechanics know your vehicles thoroughly and offer you the best repair and maintenance. With original PACCAR and TRP parts and accessories, available from stock or within 24 hours service delivery. For maximum vehicle availability, and a high residual value. For an optimal service, DAF is represented worldwide by an extensive network of professional Truck Sales & Service Dealers. The dense coverage and long opening hours assure you of the best service.



TRACTOR CHASSIS				CF MX-11	CF MX-13
FT	4 x 2			•	•
FTP	6 x 2			•	•
FTR	6 x 2				•
FTS	6 x 2				•
FTG	6 x 2			•	•
FTT	6 x 4			◦	◦

◦ Also available in Construction version

SERIE	TYPE	DAY CAB	SLEEPER CAB	SPACE CAB
CF PX-7	CF220			
	CF250			
	CF280			
	CF310			
CF MX-11	CF290			
	CF330			
	CF370			
	CF400			
	CF440			
	CF410			
CF MX-13	CF460			
	CF510			

RIGID CHASSIS				CF PX-7	CF MX-11	CF MX-13
FA	4 x 2			•	•	•
FAR	6 x 2				•	•
FAS	6 x 2				•	•
FAG	6 x 2				•	
FAN	6 x 2				•	•
FAT	6 x 4				◦	◦
FAD	8 x 4				◦	◦

◦ Also available in Construction version

Trailing axle



Driven axle



PACCAR MX-13 ENGINE - EURO 6 EMISSION LEVEL

Engine Type	Performance	Torque
MX-13 303	303 kW/412 hp (1,425–1,750 rpm)	2,000 Nm (1,000–1,425 rpm)
MX-13 340	340 kW/462 hp (1,425–1,750 rpm)	2,300 Nm (1,000–1,425 rpm)
MX-13 375	375 kW/510 hp (1,425–1,750 rpm)	2,500 Nm (1,000–1,425 rpm)


PACCAR PX-7 ENGINE - EURO 6 EMISSION LEVEL

Engine Type	Performance	Torque
PX-7 164	164 kW/223 hp (1,800–2,300 rpm)	850 Nm (1,100–1,800 rpm)
PX-7 186	186 kW/253 hp (1,800–2,300 rpm)	950 Nm (1,100–1,800 rpm)
PX-7 208	208 kW/283 hp (2,000–2,300 rpm)	1,020 Nm (1,200–2,000 rpm)
PX-7 231	231 kW/314 hp (2,000–2,300 rpm)	1,100 Nm (1,200–2,000 rpm)


PACCAR MX-11 ENGINE - EURO 6 EMISSION LEVEL

Engine Type	Performance	Torque
MX-11 210	210 kW/286 hp (1,700 rpm)	1,200 Nm (1,000–1,700 rpm)
MX-11 240	240 kW/326 hp (1,650 rpm)	1,400 Nm (1,000–1,650 rpm)
MX-11 271	271 kW/369 hp (1,650 rpm)	1,600 Nm (1,000–1,650 rpm)
MX-11 291	291 kW/396 hp (1,450–1,700 rpm)	1,900 Nm (1,000–1,450 rpm)
MX-11 320	320 kW/435 hp (1,450–1,700 rpm)	2,100 Nm (1,000–1,450 rpm)


PACCAR MX-13




PACCAR MX-11 DISTRIBUTION




PACCAR MX-11 HAULAGE




PACCAR PX-7



A large industrial factory setting with a worker in the foreground operating a forklift. The worker is wearing a white t-shirt and blue overalls. In the background, several other workers in similar attire are visible, along with various industrial equipment and machinery. The scene is brightly lit, suggesting a well-lit manufacturing environment.

DAF TRUCKS N.V. As a subsidiary PACCAR Inc., DAF Trucks is one of the most successful truck manufacturers in Europe. The key to success: first-class tractors and rigids and the right services behind them. All of this is supported by a network of more than 1,000 independent dealers in Europe, the Middle East, Africa, Australia, New Zealand, Taiwan and Brazil. DAF has its own production facilities in the Netherlands, Belgium, Great Britain and Brazil. Besides trucks DAF develops and produces components axles and engines for bus and coach producers throughout the entire world.

More information and dealer addresses can be found at www.daf.com





DAF Trucks N.V.
Hugo van der Goeslaan 1
P.O. Box 90065
5600 PT Eindhoven
The Netherlands
Tel: +31 (0) 40 21 49 111
Fax: +31 (0) 40 21 44 325
www.daf.com

No rights can be derived from this publication. DAF Trucks N.V. reserves the right to change product specifications without prior notice. Products and services comply with the European Directives effective at the time of sale but may vary depending on the country in which you are located. For the most recent information, contact your authorized DAF dealer.



ISO14001
Environmental
Management System



ISO/TS16949
Quality
Management System

DRIVEN BY QUALITY

TRUCKS | PARTS | FINANCE

WWW.DAF.COM

DAF
A **PACCAR** COMPANY

DW14290902/HQ-GB:0914